

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

FCA-TS001

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Washing and cleaning products (including solvent based products)

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Thierry GmbH	
Street:	Motorstrasse 30	
Place:	D-70499 Stuttgart	
Telephone:	+49 (0)711 8399 7470	Telefax: +49 (0)711 8399 7480
E-mail:	info@thierry-gmbh.de	
Internet:	www.thierry-gmbh.de	

1.4. Emergency telephone number: +49 (0)711 8399 7470 (Mo.-Fr., 9:00-16:00)**Further Information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Flam. Liq. 2; H225
Eye Irrit. 2; H319
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**propan-2-ol; isopropyl alcohol; isopropanol
ethyl acetate
n-butyl acetate**Signal word:** Danger**Pictograms:****Hazard statements**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 2 of 14

P280	Wear protective gloves/protective clothing and eye protection/face protection.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to .

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
64-17-5	ethanol; ethyl alcohol	15 - < 20 %
	200-578-6	603-002-00-5
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	15 - < 20 %
	200-661-7	603-117-00-0
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
141-78-6	ethyl acetate	3 - < 5 %
	205-500-4	607-022-00-5
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066	
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	1 - < 3 %
	203-905-0	603-014-00-0
	Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H302 H315 H319	
123-86-4	n-butyl acetate	1 - < 3 %
	204-658-1	607-025-00-1
	Flam. Liq. 3, STOT SE 3; H226 H336 EUH066	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol; ethyl alcohol	15 - < 20 %
	Eye Irrit. 2; H319: >= 50 - 100		
111-76-2	203-905-0	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	1 - < 3 %
	inhalation: ATE 3 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: ATE 1200 mg/kg		
123-86-4	204-658-1	n-butyl acetate	1 - < 3 %
	inhalation: LC50 = (23,8) mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = 14130 mg/kg		

Labelling for contents according to Regulation (EC) No 648/2004

perfumes.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 3 of 14

59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off immediately all contaminated clothing.

First aider: Pay attention to self-protection!

After inhalation

Remove person to fresh air and keep comfortable for breathing. In case of respiratory tract irritation, consult a physician.

After contact with skin

Take off immediately all contaminated clothing. Wash with plenty of water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. Alcohol resistant foam.

In case of major fire and large quantities: Water spray

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Reignition possible over considerable distance.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protective equipment. (See section 8.) Remove all sources of ignition. Remove persons to safety. Ventilate affected area. Due to danger of explosion, prevent leakage of vapours into cellars, flues and

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 4 of 14

ditches.

For non-emergency personnel

Remove persons to safety. Remove all sources of ignition. Ventilate affected area.
Wear personal protective equipment. (See section 8.)

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation as well as local exhaust at critical locations.
Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes.
Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.
Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

The usual precautions for handling chemicals should be considered.
Keep away from food, drink and animal feedingstuffs.
Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work. Preventive skin protection with skin protection ointment. Take off contaminated clothing and wash it before reuse.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.
Ensure adequate ventilation of the storage area.
Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Hints on joint storage

Do not store together with: Radioactive substances. Infectious substances. Explosives Non-combustible toxic substances. ammonium nitrate. Organic peroxides. Self-reactive substances and mixtures: Substances and mixtures which, in contact with water, emit flammable gases Pyrophoric substances. Flammable solids. Oxidizing liquids. Oxidizing solids. Gas.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 5 of 14

Further information on storage conditions

Recommended storage temperature: 20 °C

Protect against: frost. heat. Cold. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
111-76-2	2-Butoxyethanol	20	98		TWA (8 h)	
		50	246		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve			
Worker DNEL, long-term		inhalation	systemic	98 mg/m ³
Worker DNEL, acute		inhalation	systemic	1091 mg/m ³
Worker DNEL, acute		inhalation	local	246 mg/m ³
Worker DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	89 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	6,3 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	26,7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	59 mg/m ³
Consumer DNEL, acute		inhalation	systemic	426 mg/m ³
Consumer DNEL, acute		inhalation	local	147 mg/m ³
Consumer DNEL, long-term		dermal	systemic	75 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	89 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	
Freshwater		8,8 mg/l
Freshwater (intermittent releases)		9,1 mg/l
Marine water		0,88 mg/l
Freshwater sediment		34,6 mg/kg
Marine sediment		3,46 mg/kg
Secondary poisoning		0,02 mg/kg
Micro-organisms in sewage treatment plants (STP)		463 mg/l
Soil		2,33 mg/kg

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 6 of 14



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Recommended eye protection brand: Tightly sealed safety glasses. (EN ISO 16321-1:2022)

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material: Butyl rubber.

Thickness of glove material: 0,5 mm

Breakthrough time \geq 480 min. Penetration time (maximum wearing period): \sim 120 min. (estimated)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/ 2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Wear fire/flame resistant/retardant clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation

Suitable respiratory protection apparatus: Gas filter unit (DIN EN 141). Type: A

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	characteristic
Odour threshold:	not determined

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	78 (Ethanol.) °C
Flammability:	not determined
Lower explosion limits:	2 (Isopropyl alcohol.) vol. %
Upper explosion limits:	15 (Ethanol.) vol. %
Flash point:	17,4 °C Abel-Pensky
Auto-ignition temperature:	400 (Ethanol.) °C

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 7 of 14

Decomposition temperature:	not relevant
pH-Value:	N/A
Viscosity / kinematic:	not determined
Water solubility:	partially miscible
Solubility in other solvents	
not determined	
Dissolution rate:	not relevant
Partition coefficient n-octanol/water:	SECTION 12: Ecological information
Dispersion stability:	not relevant
Vapour pressure:	58 (Ethanol.) hPa
(at 20 °C)	
Density:	0,91 g/cm ³
Bulk density:	not relevant
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Self-ignition temperature

Gas:

not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not relevant

Softening point:

not relevant

Pour point:

not relevant

Viscosity / dynamic:

not determined

Flow time:

not determined

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to section 10.5.

10.4. Conditions to avoid

Keep away from heat. Danger of explosion!

In use may form flammable/explosive vapour-air mixture.

Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Hydrogen peroxide, bromine trifluoride, Difluordioxid, 2-methyl-1,3-butadiene, nitromethane, nitrosyl chloride

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 8 of 14

(catalyst), Nitrosyl perchlorate, alkali hydroxide, bromine, fluorine, sodium, strong reducing agents, nitric acid, chromic acid, chromium trioxide, chromyl chloride, ethanolamine, Potassium tert-butoxide. Oxidizing agents, strong.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve				
	oral	ATE 1200 mg/kg			
	dermal	LD50 > 2000 mg/kg	Guinea-pig.	REACH Dossier	OECD 402
	inhalation vapour	ATE 3 mg/l			
123-86-4	n-butyl acetate				
	oral	LD50 14130 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rat		
	inhalation vapour	LC50 (23,8) mg/l	Rat		

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 9 of 14

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve					
	Acute fish toxicity	LC50 mg/l	1474	96 h	Oncorhynchus mykiss (Rainbow trout)	REACH Dossier OECD 203
	Acute algae toxicity	ErC50	911 mg/l	72 h	Pseudokirchnerella subcapitata	REACH Dossier OECD 201
	Acute crustacea toxicity	EC50 mg/l	1800	48 h	Daphnia magna	REACH Dossier OECD 202
	Fish toxicity	NOEC mg/l	>100	21 d	Danio rerio	REACH Dossier OECD 204
	Algae toxicity	NOEC	88 mg/l	3 d	Pseudokirchneriella subcapitata	REACH Dossier
	Crustacea toxicity	NOEC	100 mg/l	21 d	Daphnia magna	REACH Dossier OECD 211
123-86-4	n-butyl acetate					
	Acute fish toxicity	LC50	18 mg/l	96 h	Pimephales promelas	REACH Dossier
	Acute crustacea toxicity	EC50	44 mg/l	48 h	Daphnia sp.	REACH Dossier

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	90,4%	28	REACH Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	0,81
123-86-4	n-butyl acetate	1,81

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 10 of 14

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1993
<u>14.2. UN proper shipping name:</u>	FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropanol)
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	II
Hazard label:	3



Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 1993
---	---------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 11 of 14

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropanol)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L

Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropanol)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Marine pollutant: NO

Special Provisions: 274

Limited quantity: 1 L

Excepted quantity: E2

EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol, Isopropanol)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Special Provisions: A3

Limited quantity Passenger: 1 L

Passenger LQ: Y341

Excepted quantity: E2

IATA-packing instructions - Passenger: 353

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 364

IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

See section 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant.

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 12 of 14

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: not determined

Directive 2004/42/EC on VOC in paints and varnishes: not determined

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3, 40

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1,0 Initial release 19,05.14

Rev. 2.0; 18.02.2025, Changes in section: 1-16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 13 of 14

Abbreviations and acronyms

Flam. Liq: Flammable liquid
 Acute Tox: Acute toxicity
 Skin Irrit: Skin irritation
 Eye Irrit: Eye irritation
 STOT SE: Specific target organ toxicity - single exposure
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 CAS: Chemical Abstracts Service
 CLP: Classification, Labelling and Packaging of substances and mixtures
 DNEL: Derived No Effect Level
 d: day(s)
 EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
 ECHA: European Chemicals Agency
 EWC: European Waste Catalogue
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
 h: hour
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect concentration
 NLP: No-Longer Polymers
 N/A: not applicable
 OECD: Organisation for Economic Co-operation and Development
 PNEC: predicted no effect concentration
 PBT: Persistent bioaccumulative toxic
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 REACH: Registration, Evaluation, Authorisation of Chemicals
 SVHC: substance of very high concern
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FCA-TS001

Revision date: 18.02.2025

Page 14 of 14

H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)